



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

re Patent Application of

THOMASSET

Atty. Ref.: 2590-166

Serial No. 10/591,126

Group: 1794

National Phase of: PCT/IB2005/050707

International Filing Date: 26 February 2005

Filed: August 30, 2006 Examiner: Erik Kashnikow

For: MULTILAYER DOSE HAVING A CONCAVE SURFACE

* * * * *

June 1, 2009

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

INTERVIEW SUMMARY STATEMENT

Applicant thanks the Examiner for the courtesies extended during the telephone interview on May 4, 2009. In this regard, applicant agrees with the Interview Summary.

Applicant requests that the Examiner defer examination in this case until applicant files a Supplemental Amendment in line with the Interview. Applicant anticipates filing the Supplemental Amendment by mid June 2009.

THOMASSET
U.S. App. 10591126

Respectfully submitted,

NIXON & VANDERHYE P.C.

By:



Duane M. Byers

Reg. No. 33,363

DMB:Imo

901 North Glebe Road, 11th Floor
Arlington, VA 22203-1808
Telephone: (703) 816-4000
Facsimile: (703) 816-4100